



AUTHORIZATION TO MARK

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

Applicant:	Solectria Renewables, LLC	Manufacturer:	Solectria Renewables, LLC
Address:	360 Merrimack Street Bldg 9, Floor 2 LAWRENCE, MA 01843	Address:	360 Merrimack Street Bldg 9, Floor 2 LAWRENCE, MA 01843
Country:	USA	Country:	USA
Contact:	Jihua Ma (primary)	Contact:	Jihua Ma (primary)
Phone:	(978) 683-9700	Phone:	(978) 683-9700
FAX:	(978) 683-9702	FAX:	(978) 683-9702
Email:	jihua.ma@solectria.com	Email:	jihua.ma@solectria.com

Party Authorized To Apply Mark: Same as Manufacturer
Report Issuing Office: Cortland NY 13045

Tess Le Gallgher

Control Number: 3058249 **Authorized by:** _____
for Dean Davidson, Certification Manager



This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

Intertek Testing Services NA Inc.
545 East Algonquin Road, Arlington Heights, IL 60005
Telephone 800-345-3851 or 847-439-5667 Fax 312-283-1672

Standard(s):	UL Standard for Safety for Inverters, Converters, Controllers and Interconnection System Equipment for Use With Distributed Energy Resources, UL 1741 Second Edition, Dated January 28, 2010.
	CSA C22.2 #107.1 2001/09/01 Ed:3 General Use Power Supplies - (R2011)
Product:	String Disconnecting PV Combiner Box



AUTHORIZATION TO MARK

Combiner Box Models:

DISCOM-M-XX-YY-With Options:

DISCOM-M-PS-08, DISCOM-M-PS-09, DISCOM-M-PS-10, DISCOM-M-PS-11,DISCOM-M-PS-12, DISCOM-M-PS-13, DISCOM-M-PS-14, DISCOM-M-PS-15, DISCOM-M-PS-16, DISCOM-M-PS-17, DISCOM-M-PS-18, DISCOM-M-PS-19, DISCOM-M-PS-20, DISCOM-M-PS-21, DISCOM-M-PS-22, DISCOM-M-PS-23, DISCOM-M-PS-24, DISCOM-M-PS-25, DISCOM-M-PS-26, DISCOM-M-PS-27, DISCOM-M-PS-28, DISCOM-M-PS-29, DISCOM-M-PS-30.

DISCOM-M-FG-08, DISCOM-M-FG-09, DISCOM-M-FG-10, DISCOM-M-FG-11, DISCOM-M-FG-12, DISCOM-M-FG-13, DISCOM-M-FG-14, DISCOM-M-FG-15, DISCOM-M-FG-16, DISCOM-M-FG-17, DISCOM-M-FG-18, DISCOM-M-FG-19, DISCOM-M-FG-20, DISCOM-M-FG-21, DISCOM-M-FG-22, DISCOM-M-FG-23, DISCOM-M-FG-24, DISCOM-M-FG-25, DISCOM-M-FG-26, DISCOM-M-FG-27, DISCOM-M-FG-28, DISCOM-M-FG-29, DISCOM-M-FG-30.

DISCOM-M-SS-08, DISCOM-M-SS-09, DISCOM-M-SS-10, DISCOM-M-SS-11, DISCOM-M-SS-12, DISCOM-M-SS-13, DISCOM-M-SS-14, DISCOM-M-SS-15, DISCOM-M-SS-16, DISCOM-M-SS-17, DISCOM-M-SS-18, DISCOM-M-SS-19, DISCOM-M-SS-20, DISCOM-M-SS-21, DISCOM-M-SS-22, DISCOM-M-SS-23, DISCOM-M-SS-24, DISCOM-M-SS-25, DISCOM-M-SS-26, DISCOM-M-SS-27, DISCOM-M-SS-28, DISCOM-M-SS-29, DISCOM-M-SS-30.

DISCOM-15-XX-YY-ZZA With Options (or DISCOM-MD):

DISCOM15PS08X15A, DISCOM15PS10X15A, DISCOM15PS12X15A, DISCOM15PS14X15A
DISCOM15PS15X15A, DISCOM15PS16X15A, DISCOM15PS18X15A, DISCOM15PS20X15A
DISCOM15PS21X15A, DISCOM15PS24X15A, DISCOM15PS08X25A, DISCOM15PS10X25A
DISCOM15PS12X25A, DISCOM15PS14X25A, DISCOM15PS15X25A, DISCOM15PS16X25A
DISCOM15PS18X25A, DISCOM15PS08X30A, DISCOM15PS10X30A, DISCOM15PS12X30A
DISCOM15PS14X30A, DISCOM15PS15X30A, DISCOM15PS16X30A

DISCOM15FG08X15A, DISCOM15FG10X15A, DISCOM15FG12X15A, DISCOM15FG14X15A,
DISCOM15FG15X15A, DISCOM15FG16X15A, DISCOM15FG18X15A, DISCOM15FG20X15A,
DISCOM15FG21X15A, DISCOM15FG24X15A, DISCOM15FG08X25A, DISCOM15FG10X25A,
DISCOM15FG12X25A, DISCOM15FG14X25A, DISCOM15FG15X25A, DISCOM15FG16X25A,
DISCOM15FG18X25A, DISCOM15FG08X30A, DISCOM15FG10X30A, DISCOM15FG12X30A,
DISCOM15FG14X30A, DISCOM15FG15X30A, DISCOM15FG16X30A

Models:

Options include:

- OPT-SRG-DISCOM-M-XX
- OPT-SRG-DISCOM-15 or SRG-DISCOM-MD
- OPT-2X300LUG
- OPT-POSGROUND-DISCOM
- OPT-CL-DISCOM-M-YY



AUTHORIZATION TO MARK

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

Applicant: Solectria Renewables, LLC

Manufacturer: YASKAWA AMERICA, INC.

Address: 360 Merrimack Street
Bldg 9, Floor 2
LAWRENCE, MA 01843

Address: 150 WEST OAKWOOD ROAD,
OAK CREEK, WI 53154

Country: USA
Contact: Jihua Ma (primary)
Phone: (978) 683-9700
FAX: (978) 683-9702
Email: jihua.ma@solectria.com

Country: USA
Contact: KRSTAN MALUSIC (primary)
Phone: 414-856-2555
FAX: 414-856-2501
Email: krstan_malusic@yaskawa.com

Party Authorized To Apply Mark: Same as Manufacturer
Report Issuing Office: Cortland NY 13045

Tess Gallagher

Control Number: 5002456

Authorized by: _____
for Dean Davidson, Certification Manager



This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

Intertek Testing Services NA Inc.
545 East Algonquin Road, Arlington Heights, IL 60005
Telephone 800-345-3851 or 847-439-5667 Fax 312-283-1672

Standard(s):	UL Standard for Safety for Inverters, Converters, Controllers and Interconnection System Equipment for Use With Distributed Energy Resources, UL 1741 Second Edition, Dated January 28, 2010.
	CSA C22.2 #107.1 2001/09/01 Ed:3 General Use Power Supplies - (R2011)
Product:	String Disconnecting PV Combiner Box



AUTHORIZATION TO MARK

Combiner Box Models:

DISCOM-M-XX-YY-With Options:

DISCOM-M-PS-08, DISCOM-M-PS-09, DISCOM-M-PS-10, DISCOM-M-PS-11,DISCOM-M-PS-12, DISCOM-M-PS-13, DISCOM-M-PS-14, DISCOM-M-PS-15, DISCOM-M-PS-16, DISCOM-M-PS-17, DISCOM-M-PS-18, DISCOM-M-PS-19, DISCOM-M-PS-20, DISCOM-M-PS-21, DISCOM-M-PS-22, DISCOM-M-PS-23, DISCOM-M-PS-24, DISCOM-M-PS-25, DISCOM-M-PS-26, DISCOM-M-PS-27, DISCOM-M-PS-28, DISCOM-M-PS-29, DISCOM-M-PS-30.

DISCOM-M-FG-08, DISCOM-M-FG-09, DISCOM-M-FG-10, DISCOM-M-FG-11, DISCOM-M-FG-12, DISCOM-M-FG-13, DISCOM-M-FG-14, DISCOM-M-FG-15, DISCOM-M-FG-16, DISCOM-M-FG-17, DISCOM-M-FG-18, DISCOM-M-FG-19, DISCOM-M-FG-20, DISCOM-M-FG-21, DISCOM-M-FG-22, DISCOM-M-FG-23, DISCOM-M-FG-24, DISCOM-M-FG-25, DISCOM-M-FG-26, DISCOM-M-FG-27, DISCOM-M-FG-28, DISCOM-M-FG-29, DISCOM-M-FG-30.

DISCOM-M-SS-08, DISCOM-M-SS-09, DISCOM-M-SS-10, DISCOM-M-SS-11, DISCOM-M-SS-12, DISCOM-M-SS-13, DISCOM-M-SS-14, DISCOM-M-SS-15, DISCOM-M-SS-16, DISCOM-M-SS-17, DISCOM-M-SS-18, DISCOM-M-SS-19, DISCOM-M-SS-20, DISCOM-M-SS-21, DISCOM-M-SS-22, DISCOM-M-SS-23, DISCOM-M-SS-24, DISCOM-M-SS-25, DISCOM-M-SS-26, DISCOM-M-SS-27, DISCOM-M-SS-28, DISCOM-M-SS-29, DISCOM-M-SS-30.

DISCOM-15-XX-YY-ZZA With Options (or DISCOM-MD):

DISCOM15PS08X15A, DISCOM15PS10X15A, DISCOM15PS12X15A, DISCOM15PS14X15A
DISCOM15PS15X15A, DISCOM15PS16X15A, DISCOM15PS18X15A, DISCOM15PS20X15A
DISCOM15PS21X15A, DISCOM15PS24X15A, DISCOM15PS08X25A, DISCOM15PS10X25A
DISCOM15PS12X25A, DISCOM15PS14X25A, DISCOM15PS15X25A, DISCOM15PS16X25A
DISCOM15PS18X25A, DISCOM15PS08X30A, DISCOM15PS10X30A, DISCOM15PS12X30A
DISCOM15PS14X30A, DISCOM15PS15X30A, DISCOM15PS16X30A

DISCOM15FG08X15A, DISCOM15FG10X15A, DISCOM15FG12X15A, DISCOM15FG14X15A,
DISCOM15FG15X15A, DISCOM15FG16X15A, DISCOM15FG18X15A, DISCOM15FG20X15A,
DISCOM15FG21X15A, DISCOM15FG24X15A, DISCOM15FG08X25A, DISCOM15FG10X25A,
DISCOM15FG12X25A, DISCOM15FG14X25A, DISCOM15FG15X25A, DISCOM15FG16X25A,
DISCOM15FG18X25A, DISCOM15FG08X30A, DISCOM15FG10X30A, DISCOM15FG12X30A,
DISCOM15FG14X30A, DISCOM15FG15X30A, DISCOM15FG16X30A

Models:

Options include:

- OPT-SRG-DISCOM-M-XX
- OPT-SRG-DISCOM-15 or SRG-DISCOM-MD
- OPT-2X300LUG
- OPT-POSGROUND-DISCOM
- OPT-CL-DISCOM-M-YY